

# PMR-R & D



## UFM 971 – Mobile Radio for analogue Trunk Radio Systems

Main characteristics and functions according to standards MPT 1327/1343/RegioNet 43

Among other things

- Robust impact resistant housing
- Weight: 450 g
- Dimensions: (wxdxh) 187 x 49 x 59
- Short number addressing switch accessible (up/down keys at the front of the terminal) provides 48 memory entries per network; via keyboard alphanumeric programmable
- Emergency key, extern connectable
- A/D Interface
- Free programmable keys
- Clear, menu driven operation
- Large, variable Dot-Matrix-Display
- LCD-information for log-in mode, operating mode, battery capacity, call- and speech volume
- PMR-Mode (450 ... 470 MHz, 16 channels, CTCSS)
- Dual-Watch-Mode
- Direct mode (420 MHz)
- Operation in several networks by automatic or manual roaming function
- Data transfer SDM, EDM, LDM
- Data transfer MAP 27 and Map 971 by its own two data interfaces RS 232 is possible
- Remote programming via air interface (DGNA - Dynamic Group Number Assignment)
- APS - Automatic Power Steering
- Alphanumeric generation of short data telegrams via key-pad
- AL - Ambience Listening
- DTMF- suffix service radio mode
- Local and dynamic groups
- BZT-licensed



**Order No.: 74800060**  
**Frequency range 410-430 MHz**

**Volume of delivery:**

- Mobile Radio, Mounting Bracket, Connecting cable  
0,5 m with connections:
- Antenna
  - Power supply
  - Loudspeaker
  - Illumination
  - Mute